

# Подгрузка адреса

```
<?php

defined('HOSTCMS') || exit('HostCMS: access denied.');
```

*/\*\*  
\* Подгрузка адреса 1.0  
\*  
\* @author KAD Systems (©) 2014  
\* @date 30-12-2014  
\*  
\* Копирование и использование файлов модуля  
\* в коммерческих целях ЗАПРЕЩЕНО  
\*/*

```
class Kad_Shop_Cart_Locations
{
    static function execute()
    {
        if(Core_Array::getGet('dataType'))
        {
            $sQuery = strval(Core_Array::getGet('query'));

            $aJSON = array();
            $aJSON['query'] = $sQuery;
            $aJSON['suggestions'] = array();

            if(Core_Array::getGet('dataType') == 'shop_country_location')
            {
                $oShopCountryLocations =
Core_Entity::factory('shop_country_location');
                $oShopCountryLocations->queryBuilder()
                    ->where('name', 'like', '%' . $sQuery . '%')
                    ->where('shop_country_id', '=',
Core_Array::getGet('shop_country_id'));
                $aoShopCountryLocations = $oShopCountryLocations->findAll();

                foreach ($aoShopCountryLocations as $oShopCountryLocation)
                {
                    $aJSON['suggestions'][] = array(
                        'value' => $oShopCountryLocation->name,
                        'id' => $oShopCountryLocation->id
                    );
                }
            }
            elseif(Core_Array::getGet('dataType') ==
'shop_country_location_city')
            {
```

```

        $oShopCountryLocationCities =
Core_Entity::factory('shop_country_location_city');
        $oShopCountryLocationCities->queryBuilder()
            ->where('name', 'like', '%' . $sQuery . '%')
            ->where('shop_country_location_id', '=',
Core_Array::getGet('shop_country_location_id'));
        $aoShopCountryLocationCities =
$oShopCountryLocationCities->findAll();

        foreach($aoShopCountryLocationCities as
$oShopCountryLocationCity)
        {
            $aoShopCountryLocationCityAreas =
Core_Entity::factory('shop_country_location_city_area')->getAllByShop_Countr
y_Location_City_Id($oShopCountryLocationCity->id);

            $aJSON['suggestions'][] = array(
                'value' => $oShopCountryLocationCity->name,
                'id' => $oShopCountryLocationCity->id,
                'areas' => count($aoShopCountryLocationCityAreas)
            );
        }
    }
    elseif(Core_Array::getGet('dataType') ==
'shop_country_location_city_area')
    {
        $oShopCountryLocationCityAreas =
Core_Entity::factory('shop_country_location_city_area');
        $oShopCountryLocationCityAreas->queryBuilder()
            ->where('name', 'like', '%' . $sQuery . '%')
            ->where('shop_country_location_city_id', '=',
Core_Array::getGet('shop_country_location_city_id'));
        $aoShopCountryLocationCityAreas =
$oShopCountryLocationCityAreas->findAll();

        foreach($aoShopCountryLocationCityAreas as
$oShopCountryLocationCityArea)
        {
            $aJSON['suggestions'][] = array(
                'value' => $oShopCountryLocationCityArea->name,
                'id' => $oShopCountryLocationCityArea->id
            );
        }
    }

    Core_Page::instance()->response
        ->status(200)
        ->header('Pragma', 'no-cache')
        ->header('Cache-Control', 'private, no-cache')
        ->header('Vary', 'Accept')
        ->header('Last-Modified', gmdate('D, d M Y H:i:s', time())) .

```

```
' GMT')
    ->header('X-Powered-By', 'HostCMS')
    ->header('Content-Disposition', 'inline;
filename="files.json"');

Core_Page::instance()->response
    ->body(json_encode($aJSON))
    ->header('Content-type', 'application/json; charset=utf-8');

Core_Page::instance()->response
    ->sendHeaders()
    ->showBody();

    exit();
}
}
}
```