

# Manual installation

1. Add a snippet *"simple-preorder-bootstrap.liquid"* with next code:

```
<style id="simple_preorder_style"></style>
<script>
  // Bootstrap for Simple Preorder app
  var SimplePreorderBootstrap = {
    "page": {{ template | json }},
    "product": {
      "id": {{ product.id | json }},
      "title": {{ product.title | json }},
      "variants": [
        {% for variant in product.variants %}
          {
            "id": {{variant.id}},
            "inventory_quantity":
'{{variant.inventory_quantity}}',
            "inventory_management":
'{{variant.inventory_management}}',
            "inventory_policy": ' {{variant.inventory_policy}}'
          },
        {% endfor %}
      ],
    },
    "cart": {
      "items": [
        {% for item in cart.items %}
          {
            "variant_id": {{item.variant.id}},
            "product_id": {{item.product.id}},
            "quantity": {{item.quantity}},
            "inventory_quantity":
'{{item.variant.inventory_quantity}}',
            "inventory_management":
'{{item.variant.inventory_management}}',
            "inventory_policy":
' {{item.variant.inventory_policy}}',
            "properties": {{ item.properties | json }}
          },
        {% endfor %}
      ],
    },
    // "startupDelay": 100,
    // "productFormSelector": '/cart/add',
    // "productSelector": 'form[action="/cart/add"] [type="submit"]',
    // "variantsSelector": 'form[action="/cart/add"] .variants-
selector',
    // "nativeVariantsSelector": 'form[action="/cart"] [name^="id"]',
```

```

        // "checkoutSelector": 'form[action="/cart"]
[type="submit"][name="checkout"]',
        // "updateSelector": 'form[action="/cart"]
[type="submit"][name="update"]',
        // "updateInputsSelector": 'form[action="/cart"]
[name^="updates["]',
        // "preorderBadgeContainerSelector": '.product-item__image-wrapper',
        // "updateInputsSelector": 'input[name="quantity"]',
        // "debug": true,
    };
</script>

<script id="kad-preorder-config-loader">
    (() => {
        try {
            function loadPersonalConfig() {
                let personalConfig = localStorage.getItem('SimplePreorderBootstrap')
                if (typeof personalConfig === 'string') {
                    return JSON.parse(personalConfig)
                }
            }

            function savePersonalConfig(config) {
                localStorage.setItem('SimplePreorderBootstrap',
JSON.stringify(config, null, 2))
            }

            function isDevParamSpecified() {
                return new URLSearchParams(window.location.search).get('kad-dev')
!= null
            }

            let personalConfig = loadPersonalConfig()

            if (isDevParamSpecified()) {
                personalConfig = personalConfig || {}
                personalConfig.dev = true
            }

            if (personalConfig) {
                Object.assign(SimplePreorderBootstrap, personalConfig)
                savePersonalConfig(personalConfig)
            }
        } catch (err) {}
    })()
</script>

<script id="kad-preorder-injector">
    (() => {
        let lastScript = document.getElementById('kad-preorder-injector')

```

```

function injectScript(url, type) {
  const script = document.createElement('script')
  script.src = url
  script.type = type || ''
  script.async = false
  script.defer = true
  lastScript = lastScript.parentNode.insertBefore(script,
lastScript.nextSibling)
}

if (SimplePreorderBootstrap.dev && SimplePreorderBootstrap.devScriptUrl)
{
  injectScript(SimplePreorderBootstrap.devScriptUrl,
SimplePreorderBootstrap.devScriptType)
}

if (SimplePreorderBootstrap.dataScriptUrl) {
  injectScript(SimplePreorderBootstrap.dataScriptUrl,
SimplePreorderBootstrap.dataScriptType)
}

if (SimplePreorderBootstrap.settingsScriptUrl) {
  injectScript(SimplePreorderBootstrap.settingsScriptUrl,
SimplePreorderBootstrap.settingsScriptType)
}

if (SimplePreorderBootstrap.appScriptUrl) {
  injectScript(SimplePreorderBootstrap.appScriptUrl,
SimplePreorderBootstrap.appScriptType)
}
})();
</script>

```

**Important:** At the very bottom of the snippet in the last line, replace the text "NAME-OF-YOUR-SHOP" with the address of your store from the address bar of the browser when you are in the admin area of the store (like "**simple-pre-order-demo-shop**.myshopify.com", and not, for example, "spo-demo.shop").

2. In the theme template "*theme.liquid*" right before the closing tag "</head>" add the code to connect the snippet:

```

<!-- Snippet for Simple Preorder app -->
{% include 'simple-preorder-bootstrap' %}

```

3. (Not mandatory) In the snippet adjust the selectors for following buttons:

- productSelector — add to cart button
- variantsSelector — list of variants
- checkoutSelector — checkout button in cart
- updateSelector — update cart button

If this does not work, please write to [support@kad.systems](mailto:support@kad.systems)